





HARD DRUG!

« IN A WORLD WHERE PERFORMANCE AND COMPETITION OFTEN TAKE OVER, AT COMMENCAL WE STILL BELIEVE IN FUN!

WE LOVE CLIMBING ON OUR BIKES BUT WHAT WE REALLY WANT IS TO SEND IT BIG ON THE WAY DOWN. WE'RE NOT TALKING ABOUT RACE LINES HERE, WE'RE TALKING ABOUT BIG LINES,

THE ONES THAT REQUIRE «BALLS» AS WE LIKE TO SAY!

FOR THOSE WHO WANT TO RIDE HARDER AND ALSO FOR THOSE WHO THINK THAT HAVING FUN IS MORE IMPORTANT THAN A FAST TIME, THE SUPREME SX IS FOR YOU, IT IS FOR US! »

YOANN BARELLI

8

HPP SYSTEM

The first prototypes with a high pivot point (HPP) were developed on an enduro platform with 160mm of travel.

There are numerous advantages to such a system - optimised wheel path, reduced kickback and anti-squat for better pedalling.

Let's start with wheel path. When the bike is not moving it's difficult to differentiate how the HPP will affect the suspension but in action, it's a different story. The rear wheel moves backwards and what better tool to absorb hits?

This rearward axle path extends the chainstay length, bringing more stability and grip. It's simple and effective.

To counter the influence of the chain, there is an idler positioned near the main pivot, which eliminates harmful kickback.

The suspension is then not affected by the chain at all.

HPP SYSTEM





SUPREME SX



FRAME 2018 SUPREME SX 650b Travel 180mm

SHOCK ROCKSHOX SUPER DELUXE RC3, 230x65, 3

positions

FORK ROCKSHOX LYRIK RCT3 180mm, solo air, boost

HEADSET RIDE ALPHA, semi integrated, Commencal

standard

STEM RIDE ALPHA, Alloy 2014 Forged, 40mm, 0°

Angle, Ø31,8mm

BARS RIDE ALPHA, Alloy 7075, double butted, 30mm

rise, 780mm, Ø31,8mm

GRIPS COMMENCAL Lock on, Ø32mm, soft compound

BRAKES SRAM GUIDE RE, 200mm/200mm

SHIFTERS SRAM GX 1x11sp

CHAIN GUIDE /

REAR MECH SRAM GX 11sp

BOTTOM BRACKET SRAM GXP Press Fit BB92

CRANKS SRAM DESCENDANT, 32t, direct mount, boost,

170mm on S/M, 175mm on L/XL

CHAIN KMC X11 EL-1

CASSETTE SRAM XG 1150, 10-42, 11sp

RIMS MAVIC 427, 32 holes, hookless, tubeless ready,

27mm inner

HUBS FORMULA, 32 holes, Sealed bearings

SPOKES-NIPPLES PILLAR Spokes, Stainless steel, 2mm black,

Nylock

TIRES MAXXIS HRII 650x2,4 EXO TR front and

MAXXIS DHRII 650x2,3 EXO TR rear

SEATPOST ROCKSHOX REVERB STEALTH, 31,6mm, 125mm

on S/M and 150mm on L/XL

SADDLE RIDE ALPHA SuperLight foam, CrMo rails

ACCESSORIES Down tube protector, seatstay protector

& roller cover

SIZES(CM/INCHES) S/M/L/XL

COLOUR Matt Black / Shiny Orange



PRICES EUROPE 3699 €
USA 3699 \$
CANADA 4799 \$

-

GEOMETRY - SUPREME SX

SIZES	S	М	L	XL	
01 - Seat Tube Length	400 mm	420 mm	470 mm	500 mm	
02 - Seat Tube Angle	75°	75°	75°	75°	
03 - Head Tube Angle	65°	65°	65°	65°	
04 - Head Tube Length	115 mm	120 mm	125 mm	130 mm	
05 - Wheel Base	1174 mm	1196 mm	1223 mm	1236 mm	
06 - Top Tube Length	575 mm	596 mm	622 mm	649 mm	
07 - Chainstay Length	425 mm	425 mm	425 mm	425 mm	
08 - BB Height	-10 mm	-10 mm	-10 mm	-10 mm	
09 - Fork Length	562 mm	562 mm	562 mm	562 mm	
10 - Standover Height	700 mm	710 mm	720 mm	730 mm	
11 - Reach	422 mm	442 mm	467 mm	492 mm	
12 - Stack	610 mm	615 mm	620 mm	625 mm	

ENDURO

INFOS

Based on the SUPREME DH V4.2 Contact System: Optimum anti-squat mixed with very low kickback.

Designed around a metric shock (230*65).

Rocker/Shock connected with bearings providing ultimate shock sensitivity.

180mm rear travel, designed to fit 170/180mm travel forks.

Steep seat tube angle for a good pedalling position.

Boost standard to match market requirements.

Chainstay protector and optimised chain routing for minimum noise



Postmount 180mm hanger compatible with META V4 series



Minimum kickback and controlled anti-squat



Down tube protector and optimised cable routing





8

SUPREME SX



FRAMES - SUPREME SX





